VILLAGE OF WINDSOR
VILLAGE BOARD RESOLUTION 2019-86

A RESOLUTION AUTHORIZING THE PURCHASE OF RESCUE ENGINE AND AMBULANCE FOR THE DEFOREST WINDSOR FIRE & EMS DISTRICT

WHEREAS, the Village of Windsor has included in the 2020 Capital Improvement Plan and 2020 borrowing the funding for: (1) the replacement of Engine 2 and Squad 1 with a rescue engine, and (2) the replacement of Ambulance R54 with a new ambulance as referenced in the DeForest Windsor Fire & EMS District Memo dated 8/8/19 and the Rescue Engine and Ambulance specifications, all of which are incorporated herein by reference, (collectively, the "Equipment"), for the DeForest Windsor Fire & EMS District; and

WHEREAS, the completion time for the construction of the Equipment is nine to twelve months, the DeForest Windsor Fire & EMS District is recommending ordering of the Equipment now; and

WHEREAS, the cost of the Equipment is $975,000; and

WHEREAS, per the Intergovernmental Cooperation Agreement for the Village of DeForest and Village of Windsor, the funding for the purchase of the Equipment is calculated by multiplying the approved cost of the Equipment by a fraction, the numerator of which is the total equalized value of the taxable property within the paying municipality and the denominator of which is the total equalized value of both municipalities; and

WHEREAS, by using the formula stated above with the 2019 Equalized Value the Village of DeForest portion of the Equipment purchase is 57.19% or $557,602.50 and the Village of Windsor portion is 42.81% or $417,397.50;

NOW THEREFORE, BE IT RESOLVED, by the Village Board of the Village of Windsor that it hereby authorizes the DeForest Windsor Fire & EMS District to order the Equipment and further authorizes the payment of 42.81% of the cost of the Equipment up to a maximum of $417,397.50, to be paid through the Village 2020 Capital Improvement Program and borrowing.

The above and foregoing Resolution was duly adopted by the Village Board of the Village of Windsor, Dane County, Wisconsin at a meeting held on August 15, 2019 by a vote of 5 in favor and 0 opposed.

VILLAGE OF WINDSOR

Robert E. Wipperfurth

Robert E. Wipperfurth, President

Attested by:

Christine Capstran

Christine Capstran, Clerk

Incorporated by Reference:
DeForest Windsor Fire and EMS District Memo dated 8/8/2019
Rescue Engine Specifications
Ambulance Specifications

DEFOREST WINDSOR FIRE & EMS DEPARTMENT 110 S. STEVENSON STREET,
DEFOREST, WI 53532
PHONE: 608-846-4364 FAX: 608-846-6786

MEMORANDUM

TO: Windsor Village Board

FROM: Steve LaFeber, Department Chief

DATE: August 8,2019

SUBJECT: Purchase of Phase 2 Fleet Upgrade

By this memorandum, I am requesting the Village borrow for the purchase of the new rescue engine and the next ambulance. These trucks will be purchased in April of 2020. The dollar amounts for this purchase will be the Windsor portion of $975,000.00.

To: DeForest Windsor Fire & EMS Board
From: Rescue Pumper Apparatus Committee
Date: 8/7/2019
Re: Purchase Recommendation

The Apparatus Committee is making the recommendation to proceed with the purchase of the Rescue Pumper from Custom Fire Apparatus.

Key factors in this decision include:

- CFA's proposal is for a fully enclosed pump panel inside the cab. This solution does not require an extension to the rear of the cab nor a gasket or mating collar between the cab and pump panel. This is a significant design consideration. We have learned that most customers are unhappy when a builder joins two sections of the vehicle with a flexible gasket or collar. They almost always seem to leak or degrade over time.
- CFA's proposal is to build a two segment vehicle with a cab and body. Pierce's proposal is for a 3-segment vehicle: cab, pump house, and body.
- The seating configuration in the Spartan/CFA cab will allow two firefighters to face forward while riding and avoids the cramped 4-across rear-seat configuration that Pierce offers.
- CFA's proposal puts the pump in the rear of the body, similar to Engine 1. This configuration will lend to better performance when drafting in a rural setting and supports our "pull in and work off the front" tactical practices.
- CFA's rear-mount pump design also allows for greater flexibility in the forward compartment where the speedlays are located. We will be able to store tools and equipment forward, making it faster for crews to access those tools rather than walking to the rear of the truck.
- Maintenance (particularly warranty work) can be completed in-house by North Star EVS who can do most repairs and service on-site in our station. We can also continue to use Rennerts (likely in Markesan) should it be necessary.

Pricing:

The committee was not given pricing information so as to avoid influencing their evaluation of the products being offered.

Custom: **$760,380** including $15,000 shelving allowance

Pierce: **$743,315** including $7500 shelving allowance.

Accounting for the difference in shelving allowances, the net difference is **$9565**.

Both vendors have also attempted to "sweeten the deal" by offering free service and pump testing incentives. These offers, while useful, have not really impacted the decision process.

Based on our experience with both Custom Fire AND Pierce Manufacturing, including purchase and ownership of apparatus from both manufacturers, the committee feels that Custom Fire has a better design, solid construction (stainless steel body vs. aluminum), better maintainability, and will provide a superior product that will serve us for many years.



Reference Scale (Inches)

0 12 24 36

SPARTAN METRO STAR ELFD 20	
208" WH, 417" OAL	
BOLTED STAINLESS STEEL BODY	
2000GPM WATEROUS CSU	
1000+30 TANK	
Generator: 10KW HYD	

Built For Life
CustomFIRE
Dayton, WI 54803 • (715) 294-2515

NOTE: Detailed specifications for this apparatus supersede this presentation drawing. Items shown on this drawing but not detailed within the specifications made optional add-on features. This drawing is proprietary and confidential.
Components and base equipment shown in drawing are for position reference only. Actual dimensions and fit shall be determined at time of construction based on actual components used. Control panel layout and input and discharge locations are approximate until contracted project is engineered for production.

DEFOREST WINDSOR FIRE

WMK	5.28.19
Delivery:	TBD

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
OVERALL HEIGHT = 106.5"
OVERALL WIDTH WITH RUB RAILS & FENDERETTES = 98"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DeForest Windsor Fire & EMS	BRAUN Built for Life	2019 FRONT EXTERIOR VIEW CHIEF XL-III/FORD E-450 CHASSIS-GAS ENGINE	DATE: 6-17-19 DWG. SER / REV. NR	DRAWING NO. DEFOREST-1

APPROVAL SIGNATURE: DATE:

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
OVERALL HEIGHT = 106.5"
OVERALL LENGTH = 272.75"
MODULE LENGTH = 169"



COMPARTMENT
O.S.S #1
CLEAR OPENING: 70.00h x 18.25w
INSIDE DIM'S.: 79.75h x 24.25w x 20.75d
(2) ADJUSTABLE SHELVES

O.S.S #2
CLEAR OPENING: 23.25h x 38.50w
INSIDE DIM'S: 26.25h x 43.75w x 20.75d
(1) ADJUSTABLE SHELF

O.S.S #3
CLEAR OPENING: 58.50h x 30.75w
INSIDE DIM'S.: 60.25h x 34.50w x 20.75d
SHALLOW DEPTH UPPER SECTION
(2) COAT HOOKS ON UPPER BACK WALL
(1) SHALLOW DETPH ADJUSTABLE SHELF
MAIN OXYGEN STORAGE, DUAL "G" TANKS SHOWN

– AMBER TRUCKLITE 44 LEDS ON UPPER CORNER OF OSS DOORS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DeForest Windsor Fire & EMS	BRAUN Built for Life	2019 STREETSIDE EXTERIOR VIEW CHIEF XL-III/FORD E-450 CHASSIS	DATE: 6-17-19 DWG. SER / REV. NR	DRAWING NO. DEFOREST-3

CABINETS TO BE ALUMINUM
INVENTORY CONTROL SYSTEM

12" LED STRIP LIGHT WITHIN AN ANODIZED ALUMINUM MICRO-ALU CHANNEL BELOW THE CABINET

125VAC OUTLET

(2) OHIO MED OXYGEN OUTLETS

WWELDON VISTA CONTROL SCREEN MOUNTED ON ANGLED FLIP-DOWN PANEL WITH CHROME LEVER LATCHES.
TEMP. SENSOR MOUNTED TO BOTTOM OF THE ACP PANEL.
TECNIQ SILHO LED ACP LIGHT MOUNTED BELOW CABINET #2.

EXHAUST VENT

SOLID ACRYLIC COUNTERTOPS



DUAL OXYGEN BYPASS AND ACCESS DOOR

OPEN STORAGE BELOW COUNTER WITH (2) ZICO QR-D-2 OXYGEN BRACKETS FOR "D" BOTTLES

EVS CONTOURED SEAT WITH V4 BELT. CPR SEAT LOWERED BY 1".

TILT-OUT 3.3 QUART SHARPS CONTAINER WITH STAINLESS STEEL FLUSH PULL LATCH

TILT-OUT 10 QUART WASTE CONTAINER WITH LOCKING STAINLESS STEEL FLUSH PULL LATCH

12 VDC OUTLET MOUNTED ON BOTTOM OF ACP

SUCTION CONTROL/125 VAC OUTLET/ DUAL USB PORT

EVS SEAT WITH INTEGRAL CHILD SAFETY SEAT AND ADULT V4 HARNESS, MOUNTED ON SWIVEL BASE

COMPARTMENT

#1 DOOR OPENING: 14.00h x 16.25w
INSIDE DIMS: 16.50h x 18.00w x 17.25d
(1) ADJ SHELF
SLIDING POLYCARBONATE DOORS
RESTOCKING CABINET FRAME
TEMP. ADJ. WARMING PLATE CABINET FLOOR
TOTAL CABINET WEIGHT RATING = 25 lbs.

#2 DOOR OPENING: 14.00h x 59.00w
INSIDE DIMS: 16.50h x 60.75 x 17.25d
(1) ADJ SHELF EACH SIDE OF CENTER DIVIDER
SLIDING POLYCARBONATE DOORS
RESTOCKING CABINET FRAME
TOTAL CABINET WEIGHT RATING = 25 lbs.

#3 DOOR OPENING: 24.25h x 28.50w
INSIDE DIMS: 26.00h x 30.25w x 6.00d
HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
(1) ADJUSTABLE SHELF
CABINET DOES NOT COMPLY WITH CN10

#4 = PULL-OUT DRAWER WITH SSCOR SUCTION CANISTER
ALUMINUM DRAWER FACE HAS NOTCHED UPPER RIGHT CORNER FOR SUCTION TUBING
TOTAL DRAWER WEIGHT RATING = 10 lbs.

#5 = (2) PULL-OUT DRAWERS TOWARDS AISLE
INSIDE DIMS: 3.50h x 8.25w x 13.25d
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
TOTAL DRAWER WEIGHT RATING = 10 lbs EACH

#6 DOOR OPENING: 10.75h x 22.50w
INSIDE DIMS: 12.50h x 24.25w x 17.25d
SLIDING POLYCARBONATE DOORS
TOTAL CABINET WEIGHT RATING = 25 lbs.

#7 DOOR OPENING: 7.00h x 14.00w
INSIDE DIMS: 7.00h x 14.00w x 8.00d
TOP HINGED POLYCARBONATE DOOR
LOCKING STAINLESS STEEL FLUSH PULL LATCH
CABINET DOES NOT COMPLY WITH CN10

#8 DOOR OPENINGS: 7.25h x 35.00w
INSIDE DIMS: 7.25h x 35.00w x 17.25d
TOP-HINGED POLYCARBONATE DOOR WITH FRICTION HINGES
LOCKING STAINLESS STEEL FLUSH PULL LATCH
CABINET DOES NOT COMPLY WITH CN10

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DeForest Windsor Fire & EMS	2019 STREETSIDE INTERIOR VIEW CHIEF XL-III	DATE: 6-28-19	DWG. SER	REV. A	DRAWING NO. DEFOREST-5



#1 DOOR OPENING: 16.50h x 13.75w
INSIDE DIMS: 16.50h x 13.75w x 20.50d
(1) ADJUSTABLE SHELF
HINGED ALUMINUM DOOR WITH POLYCARBONATE INSERT
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
CABINET DO NOT COMPLY WITH CN10

#2 DOOR OPENINGS: 47.75h x 27.25w
INSIDE DIMS: 50.00h x 31.50w x 20.75d
BLACK CARGO NET OVER THE OPENING
(3) ADJUSTABLE SHELVES
CABINET DOES NOT COMPLY WITH CN10

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DeForest Windsor Fire & EMS	BAUN Built for Life	2019 PARTITION INTERIOR VIEW CHIEF XL-III	DATE: 6-28-19 / DWG. SER / REV. A	DRAWING NO. DEFOREST-7



= (2) RECESSED CEILING IV HANGER LOCATIONS

* (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

CUSTOMER SUPPLIED STYKER PWERLOAD CENTER MOUNT COT HARDWARE

MODULE WIDTH = 96"
MODULE LENGTH = 169"
MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DeForest Windsor Fire & EMS	RAUN Built for Life	2019 FLOOR INTERIOR VIEW CHIEF XL-III	DATE: 6-17-19 DWG. SER REV. NR	DRAWING NO. DEFOREST-9

Current Date: 07/03/2019

Customer Information
DeForest Windsor Fire & EMS
Jon Yaskal
110 S. Stevenson St.
Deforest, WI 53532
608-846-4364
608-846-6786
jyaskal@deforestfire.com
Quote No: 10266-0001
Job/Order No:

PART NO	DESCRIPTION	EXTENDED
	== Chief XL 2019 Type III MOD 169" - 19.200 02/07/19 ==	0.00
00-01-0006	DYNAMIC SIDE IMPACT & ROLLOVER TESTS	0.00
	KKK CHANGE NOTICE 8 REQUIRED	0.00
00-01-0018	BIDDER KKK-A-1822F CHANGE NOTICE 8 COMPLIANT	0.00
00-01-0019	BIDDER KKK-A-1822F CHANGE NOTICE 9 COMPLIANT	0.00
00-01-0020	BIDDER KKK-A-1822F CHANGE NOTICE 10 COMPLIANT	0.00
00-01-0021	WEIGHT RATINGS SPECIFIED, INTERIOR, LABELS, CN10 COMPLIAI	0.00
00-01-0022	BIDDER KKK-A-1822F CHANGE NOTICE 11 COMPLIANT	0.00
00-01-0031	NO PERFORMANCE BOND REQUIRED	0.00
00-01-0041	NO BID BOND REQUIRED	0.00
00-01-0051	NO REQUIRED DELIVERY DATE	0.00
00-01-0053	PRECONSTRUCTION MEETING NOT REQUIRED / REQUESTED	0.00
00-01-0062	LEAD TIME DEFINED	0.00
00-01-0091	REQUIRED REMAINING EQUIPMENT PAYLOAD:	0.00
00-03-0036	TYPE III - AMBULANCE - CHIEF XL III - 72" INTERIOR HEIGHT	127,643.00
	CHASSIS PACKAGES	0.00
09-10-0001	** IMPORTANT ** CHASSIS NOTIFICATION	0.00
10-01-0063	CHASSIS - FORD E-450SD CHASSIS, 158" WB 4x2 DRW - GAS	35,903.00
10-08-0000	* * NO CUSTOM CHASSIS REQUIRED * *	0.00
20-10-0099	FUEL TANK - FULL UPON FACTORY RELEASE	0.00
20-10-0203	BATTERY - TWO SYSTEM - E SERIES GAS CHASSIS	0.00
20-10-0603	ENGINE BLOCK HEATER - OEM PLUG	0.00
20-20-0121	FLOOR CONSOLE - ANGLED FRONT - REMOVABLE PLATES - ALUI	430.00
20-20-0252	HEAT SHIELDS, PROTECTIVE	0.00

30-10-0093	SHORELINE INDICATOR LIGHT- ALLIED VCC RED MINI NEON - EXT	67.00
30-10-0110	ELECTRICAL CIRCUITS	0.00
30-10-0190	GROUND FAULT CIRCUIT INTERRUPTER (GFCI)	0.00
30-10-0262	INVERTER, VANNER - 1050 WATT, #20-1050CUL-DC CHARGER	1,403.00
30-10-0291	LIGHT, ATTENDANT CONTROL PANEL AREA - LED - WARM WHITE	0.00
30-10-0310	LIGHT, LED ELECTRICAL COMPARTMENT (PDQ)	0.00
30-10-0392	LIGHT, MAP LIGHT VERTICAL LED 18" WITH FLEXIBLE NECK & RE	137.00
30-10-0410	LIGHTS, OSS COMPARTMENTS - INCANDESCENT	0.00
30-10-0426	LIGHT INTERIOR OF REAR FACING OSS DOORS AMBER SUPER 44	630.00
30-10-0461	LIGHT, SPOTLIGHT - HAND-HELD - SHOWME PAR36	218.00
30-10-0502	LIGHTS, INTERIOR - WHELEN MINI LED BRAKE/TURN REAR HEADI	166.00
30-10-0534	OUTLETS, 125VAC - FOUR (4) INTERIOR DUPLEX	76.00
30-10-0543	OUTLETS, 12VDC - TWO (2) INTERIOR POWERPOINT	0.00
30-10-0574	USB - DUAL PORT OUTLETS, TWO (2)	0.00
30-10-0655	RADIO ANTENNA BASES - TWO (2)	0.00
30-10-0723	RECEPTACLE SHORELINE INLET-SUPER 20 AMP, AUTO EJECT	0.00
30-10-0742	RUMBLER - FEDERAL SIGNAL SYSTEM / OPERATED HORN RING	824.00
30-10-0753	SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE	0.00
30-10-0806	SIREN SPEAKERS, CAST PRODUCTS - THROUGH THE BUMPER	276.00
30-10-0901	SYSTEM ACTIVE AND CHECK OUT LIGHTS - 15 MINUTES	0.00
30-11-0106	LIGHTS, DOME SUPER LED (8) WHELEN	64.00
30-11-0155	LIGHTS, DELETE LIGHTS ON PANEL STREETSIDE - ANGLED	(169.00)
30-11-0156	LIGHTS, DELETE LIGHTS ON PANEL CURBSIDE ANGLED	(113.00)
	EXTERIOR LIGHTING	0.00
30-25-0122	LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ	0.00
30-25-0123	LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ	0.00
30-25-0204	LIGHTS, RUNNING BOARD - WHELEN- (2 inch round) T0CACCCR -	216.00
30-25-3153	LIGHTS, FRONT GRILLE - (4) WHELEN 500 SUPER LED (2-RED/2-CL	375.00
30-25-4201	LIGHTS, FRONT MODULE - WHELEN (7)900 - (6)RED, (1) CLEAR LE	0.00
30-25-4502	LIGHTS, FRONT MODULE TURN SIG - WHELEN 600 LED ARROWS	253.00
30-25-4902	LIGHT, TOMAR PRE-EMPTION TRAFFIC CONTROL SYSTEM	1,044.00
30-26-3012	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, & MINIMUM	0.00
30-26-5101	LIGHTS, REAR WINDOW-LEVEL - WHELEN (2)900 LED - RED W/CL	0.00

40-10-0088	DOORS - REAR PASSAGE WITH ONE WAY DARK TINT	290.00
40-10-0100	FENDERETTES - RUBBER	252.00
40-10-0120	HOLD-OPEN - REAR DOORS - GRABBERS	0.00
40-10-0130	EMERGENCY RELEASE LEVER, EXPOSED, REAR PATIENT PASSAGE	0.00
40-10-0151	SWITCH UNLOCK, WATERPROOF - HIDDEN IN FRONT GRILLE ARE	0.00
40-10-0189	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS	0.00
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - TI	0.00
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED	0.00
40-10-0282	RUB RAILS, RUBBER	217.00
40-10-0320	STEPWELL, CURBSIDE DOORWAY	0.00
40-10-0340	STONE GUARDS, MODULE FRONT - ANODIZED DIAMOND PLATE	0.00
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMONI	0.00
40-10-0381	TOW HOOKS, MODULE REAR	0.00
40-10-0505	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED)	0.00
41-01-0005	PACKAGE - OXYGEN STORAGE OSS #1	0.00
41-01-0109	OUTSIDE STORAGE #1 - STREETSIDE FORWARD	0.00
41-02-0055	SHELF TRACK - EXPOSED - OSS #1	219.00
41-02-0108	SHELVES TWO (2) IN OUTSIDE STORAGE #1	430.00
42-01-0115	OUTSIDE STORAGE #2 - STREETSIDE CENTER MODIFIED	892.00
42-02-0054	SHELF TRACK - EXPOSED - OSS #2	0.00
42-02-0107	SHELF ONE (1) IN OSS #2	0.00
43-01-0105	OUTSIDE STORAGE #3 - STREETSIDE REAR - TALL DOOR O2 STOR/	1,061.00
43-02-0051	SHELF TRACK - EXPOSED - OSS #3	0.00
43-02-0108	SHELF ONE (1) IN OSS #3	0.00
44-01-0120	OUTSIDE STORAGE #4A BOARD/SCOOP, #4B W/INSIDE/OUTSIDE	0.00
44-02-0054	SHELF TRACK - EXPOSED - OSS #4	219.00
44-02-0107	SHELVES TWO (2) IN OSS #4	430.00
45-01-0101	OUTSIDE STORAGE #5 - CURBSIDE FORWARD	0.00
46-01-0101	BATTERY STORAGE COMPARTMENT WITH SLIDE OUT TRAY - CUR	0.00
	MODULE INTERIOR / PATIENT COMPARTMENT FEATURES	0.00
50-00-0202	ROUNDED INTERIOR CORNERS	0.00
50-01-0300	INVENTORY CONTROL SYSTEM	75.00
50-01-0408	LATCHES CABINET TO BE ALL SOUTH CO LATCHES	0.00

50-60-0291	FIRE EXTINGUISHER - (1) ABC DRY CHEM 5 LB. WITH BRACKET	139.00
50-60-0300	FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD	0.00
50-60-0301	FLOORING - COVE	0.00
50-60-0322	GLOVE DISPENSER - (3) BOX - ABOVE ENTRY DOOR - CURBSIDE (A	0.00
50-60-0332	GLOVE DISPENSER - (1) BOX - EACH REAR DOOR - TOTAL TWO (2)	450.00
50-60-0351	GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENC	103.00
50-60-0391	HEADLINER - REAR PATIENT COMPARTMENT	0.00
50-60-0431	I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (2	0.00
50-60-0470	BLANKET WARMER - LOCATED INSIDE (1) INTERIOR CABINET	319.00
50-60-0613	OXYGEN OUTLETS (2) WALL/(1)CEILING - OHIO MEDICAL TYPE	157.00
50-60-0629	FLOW METER, OXYGEN - THORPE STYLE	0.00
50-60-0640	OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	0.00
50-60-0660	PADDED EDGING PROTECTION	0.00
50-60-0661	PADS, HEAD AND BACK	0.00
50-60-0709	SHARPS AND TRASH CONTAINERS - ACCESS THRU SQUAD BENCH	0.00
50-60-0718	SQUAD BENCH FACE - VINYL FLOORING MATERIAL	0.00
50-60-0730	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUM	300.00
50-60-0761	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	0.00
50-60-0820	TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	0.00
50-SP-0001	STREETSIDE CABINET LAYOUT	1,966.00
50-SP-0002	CURBSIDE CABINETRY	3,959.00
50-SP-0003	FRONT WALL, BELOW PASS THROUGH - COUNTER WITH OPEN ST	1,432.00
50-SP-0004	ASSIST HANDLE - 12" STAINLESS STEEL - CURBSIDE	43.00
	PAINT / GRAPHICS	0.00
60-01-0001	PAINT PROCEDURE	0.00
60-01-0002	PAINT MODULE - OEM WHITE	0.00
60-01-0003	CLEAR COATING - MODULE PAINT	0.00
60-01-0004	BUFFING, PAINT - MODULE	0.00
60-10-0108	CAB - OEM PAINT	0.00
60-20-0301	CHEVRON STRIPING - FULL COVERAGE	1,850.00
60-30-0200	DOOR REFLECTIVITY	0.00
80-10-0000	KKK-A-1822F COMPLIANCE	0.00
	VEHICLE MANUALS	0.00
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET	0.00

2019 Stryker EMS Equipment

6506 - Power-PRO XT

stryker

MODEL 6506

Ship to:

Bill to:

REVISION A

Required Options

Standard Unit Price: 6506-000-000 $17,460.00 $17,460.00

QTY		DESCRIPTION	PART NO.	DISCOUNT	LIST
		Standard Options (No Selection Required)			
		Standard Components			
X	*	Standard Components	6506-026-000	N/C	N/C
		Retaining Post Option			
X	*	Patient Right Cot Retaining Posts	6085-033-000	N/C	N/C
		Powertrain Warranty			
X	*	3 yr. X-Fram Powertrain Warranty	7777-661-669	N/C	N/C
		Warranty			
X	*	2 yr. Bumper to Bumper Warranty	7777-661-670	N/C	N/C
		**Extended warranties are available*			
		Wheel Lock Options			
X	*	Dual Wheel Lock	6086-602-010	N/C	N/C
		Fowler Options			
X	*	Standard Fowler	6506-012-003	STD	STD

QTY		DESCRIPTION	PART NO.	DISCOUNT	LIST
		Must select only 1 option for each category			
		Manual			
X		Domestic English Manual	6506-600-000	N/C	N/C
		International English Manual	6506-615-000	N/C	N/C
		Shipping Option			
X		Domestic Shipping (Does not include HI, AK, PR, GM)	0054-030-000	N/C	N/C
		International Shipping (Includes, HI, AK, PR, GM)	0054-031-000	N/C	N/C
		Restraint Options			
		X-Restraint Package	6500-001-430	N/C	N/C
		G-Rated Restraint Package	6500-002-030	N/C	N/C
X	*	Rugged X Restraint Package	6506-001-430	354.00	$354.00
		Litter Options			
X		Trendelenburg	6085-031-000	N/C	N/C
		Knee-Gatch/Trendelenburg	6500-082-000	877.00	$877.00
		Steer Lock Option			
X		No Steer Lock Option	6506-037-000	N/C	N/C
		Steer-Lock	6506-038-000	842.00	$842.00
		Safety Hook Options			
X	*	J Hook	6092-036-018	N/C	N/C
		Long Hook	6060-036-018	N/C	N/C
		Short Hook	6060-036-017	N/C	N/C
		Fastener Compatibility Options			
		No Power-LOAD Cot Compatibility	6506-029-000	N/C	N/C
		Performance-LOAD Compatibility	6506-034-001	1,397.00	$1,397.00
X		Power-LOAD Cot Compatibility	6506-127-000	1,861.00	$1,861.00
		Dual Power-LOAD and Performance-LOAD Compatibility	6506-034-002	2,191.00	$2,191.00
		SMRT™ Power System *(Includes 1 SMRT Charger, 2 SMRT PAKs and 1 Selected Power Cord)*			
		OPTION - 12V DC Cable (Automotive) *Box/ Charger/ Cable*	6500-027-000	N/C	N/C
	*	OPTION - 120V AC Power Cord - NA (NEMA 1-15P)	6500-028-000	N/C	N/C
		SMRT Complete (120V AC, 12V DC, SMRT Mounting Bracket)	6500-038-000	83.00	$83.00
		Side Rail Options			
		Standard Side Rail	6506-031-000	N/C	N/C
X	*	XPS Side Rail *Must Select XPS Bolster Mattress*	6506-040-000	2,197.00	$2,197.00
		Mattress			
		G Rated Bolster Mattress	6506-034-000	N/C	N/C
X	*	XPS G-Rated Bolster Mattress *Must Select XPS Side Rail*	6500-003-130	N/C	N/C
		IV Pole Options			
X		No IV Pole	6500-318-000	N/C	N/C
		2 Stage IV Pole (patient right)	6500-310-000	298.00	$298.00
		2 Stage IV Pole (patient left)	6500-311-000	298.00	$298.00
	*	3 Stage IV Pole(patient right)	6500-315-000	379.00	$379.00
		3 Stage IV Pole(patient left)	6500-316-000	379.00	$379.00
		Dual 2 Stage IV Poles	6500-312-000	595.00	$595.00
		Dual 3 Stage IV Poles	6500-317-000	757.00	$757.00
		Head Sect O2 Bottle Option			
		No HE Section O2 Bottle	6506-036-000	N/C	N/C
X		Head End Oxygen Bottle Holder	6085-046-000	202.00	$202.00
		Additional Runner (boxinn) Option			
	*	No Runner/HE O2	0054-200-994	N/C	N/C
		Additional Packaging (Runner)	6506-039-000	N/C	N/C

Additional Options

QTY		DESCRIPTION	PART NO.	DISCOUNT	LIST
		Choose only 1 option for each category			
		Boxed, National Account			
		Domestic Boxed Shipped Option	0054-032-000	N/C	N/C
		Choose any additional options			
		Accessories/Options			
		Removable Oxygen Bottle Holder	6080-140-000	212.00	$212.00
		Fowler Oxygen Bottle Holder	6500-241-000	287.00	$287.00
		Base Storage Net	6500-160-000	215.00	$215.00
X	*	Head End Storage Flat	6500-128-000	153.00	$153.00
X		Pocketed Back Rest Pouch	6500-130-000	285.00	$285.00
X	*	Equipment Hook	6500-147-000	58.00	$58.00
		SMRT Pak 1	6500-033-000	446.00	$446.00
		SMRT Charger Mounting Bracket 1	6500-034-000	40.00	$40.00
		12V DC Cable, Automotive 1 *Cable Only*	6500-035-000	40.00	$40.00
		Pedi-Mate Restraint Package	6091-300-010	52.00	$52.00
		3' Restraint Extender	6082-160-050	33.00	$33.00
		Head Extension Option	6100-044-000	636.00	$636.00
		Choose only 1 option for the below category			
		Foot End Oxygen Bottle Holder	6500-240-000	203.00	$203.00
		Defibrillator Platform	6506-170-000	494.00	$494.00

CHECK OPTION TO VERIFY CORRECT CONFIGURATIONS COMPATIBILITY

DESCRIPTION	PART NO.
Head Extension Option 6100-044-000 is NOT compatible with	
Equipment Hook	6500-147-000
Fowler Oxygen Bottle Holder	6500-241-000
Head End Oxygen Bottle Holder	6085-046-000
Foot End Oxygen Bottle Holder 6500-240-000 is NOT compatible with:	
Knee-Gatch/Trendelenburg	6500-082-000
Fowler Oxygen Bottle Holder 6500-241-000 is NOT compatible with:	
Head End Oxygen Bottle Holder	6085-046-000
Domestic Boxed Shipped Option 0054-032-000 is NOT compatible with:	
International Shipping (Includes, HI, AK, PR, GM)	6500-002-030
XPS G-Rated Bolster Mattress 6500-003-130 is NOT compatible with:	
Standard Side Rail	6506-031-000
Additional Packaging (Runner) 6506-039-000 is REQUIRED when one of the following is selected:	
Head Extension Option	6100-044-000
Fowler Oxygen Bottle Holder	6500-241-000
Domestic Shipping (Does not include HI, AK, PR, GM)	0054-030-000

QUOTE

Quantity 1

	Price p/unit	*Units*	*Total Price*
Model	*$17,460.00*	*1*	**$17,460.00**
Warranty	*$0.00*	*1*	**$0.00**
Options	*$5,110.00*	*1*	**$5,110.00**

Subtotal :	$22,570.00
QST % :	0.00%
PST % :	0.00%
GST % :	0.00%
Grand Total :	$22,570.00

Account #		Customer P.O.		Date	
Loading Dock		Written By		Ordered By	
Approval Code		Notes		Term	Net 30
Customer Name Please print					
Customer Signature			Date		Prices Effective October 1, 2017

*(*) Indicates Stryker Recommended (Based on National Averages)*

Deal Consummation: This is a quote and not a commitment. This quote is subject to final credit, pricing, and documentation approval. Legal documentation must be signed before your equipment can be delivered. Documentation will be provided upon completion of our review process and your selection of a payment schedule. Confidentiality Notice: Recipient will not disclose to any third party the terms of this quote or any other information, including any pricing or discounts, offered to be provided by Stryker to Recipient in connection with this quote, without Stryker's prior written approval, except as may be requested by law or by lawful order of any applicable government agency. Terms: Net 30 Days. FOB origin. A copy of Stryker Medical's standard terms and conditions can be obtained by calling Stryker Medical's Customer Service at 1800STRYKER. Cancellation and Return Policy: In the event of damaged or defective shipments, please notify Stryker within 30 days and we will remedy the situation. Cancellation of orders must be received 30 days prior to the agreed upon delivery date. If the order is cancelled within the 30 day window, a fee of 25% of the total purchase order price and return shipping charges will apply.