

**VILLAGE OF WINDSOR
VILLAGE BOARD RESOLUTION 2020-23**

**ATHORIZATION TO PURCHASE A TANDEM AXLE TRUCK EQUIPMENT
PACKAGE**

WHEREAS, the Village Board has approved the purchase of a tandem axle plow truck cab and chassis; and

WHEREAS, the Public Works Director has researched and obtained quotes for the equipment package to be installed on the cab and chassis as provided in Exhibits A and B; and

WHEREAS, the Village Board budgeted \$250,000 in 2020 in the Reserve/Replacement Fund for the purchase of a new plow truck and equipment package; and


WHEREAS, the Public Works Director and the Public Works Committee recommend the purchase of a plow truck equipment package from Monroe Truck Equipment for \$77,427.00.

NOW THEREFORE, BE IT RESOLVED, by the Village Board of the Village of Windsor that \

1. the Public Works Director is authorized and directed to purchase the plow truck equipment package as provided in Exhibit A from Monroe Truck Equipment for an amount not to exceed \$80,000.00. The Village President, Village Attorney and Staff are authorized to execute a contract and all associated documents, as approved by the Village Attorney, on behalf of the Village to purchase same.

The above and foregoing Resolution was duly adopted at a regular meeting of the Village Board of the Village of Windsor on March 19, 2020, by a vote of 5 in favor and 0 opposed.

VILLAGE OF WINDSOR


Robert E. Wipperfurth, President

Attested by:


Christine Capstran, Clerk

Incorporated by Reference:

Exhibit A: Monroe Truck Equipment quote

Exhibit B: Madison Truck Equipment Inc. quote

Exhibit A



Monroe Truck Equipment
1051 W 7th St
Monroe, WI 53566
Ph./Fax: 608-329-8176/608-329-8521
www.MonroeTruck.com

Sourcewell
Formerly NFA

Awarded Contract

Contract # 000114-MTE



QUOTATION
9MJS000250

Job Order #: _____
Quote Date: 2/18/2020
Quote valid until: 3/19/2020
Terms: C.O.D.
Salesperson: NEVILLE, WADE (MUNI)
Quoted by: Mike Sutter
Email: msutter@monroetruck.com

Customer: WINDSOR - VILLAGE OF
4084 MUELLER RD
DE FOREST, WI 53532
Contact: DAVIS CLARK
Phone: _____ Fax: _____
Email: davis@windsorwi.gov
Dealer Code: _____
Sourcewell Member #: _____
P.O. Number: _____

Re-Assign (Required for all pool units): Fleet Retail
MSO/MCO (ONLY check if legally required): MSO MCO

Accepted by: _____ Date: _____
Customer must fill out all information above before the order can be processed.

Chassis Information

Year: 2018	Make: INTERNATIONAL	Model: WORK STAR	Chassis Color:	Cab Type: REGULAR
Single/Dual: DRW	CA: -1.0	CT: 120.0	Wheelbase: 187.0	Engine: DIESEL
			F.O. Number #:	Vin:

Comments: TOWN OF WINDSOR 2020

Monroe Truck Equipment, Inc. is pleased to offer the following quote for your review:

Description	Amount
14'6" CRYSTEEL SELECT STAINLESS STEEL DUMP BODY	
- 11 YD	
- 34" SIDES	
- 62" FRONT	
- 1/2 X 84" STAINLESS STEEL CABDFIELD - 100 % WELDED	
- 7 GAUGE STAINLESS STEEL SIDES AND ENDS	
- STAINLESS STEEL REAR PILLARS	
- STAINLESS STEEL REAR BOLSTER	
- 42" TAILGATE WITH FULL RIBBED DOUBLE WALLED BRACING	
- AIR TAILGATE RELEASE	
- STAINLESS STEEL TAILGATE LINKAGE AND HARDWARE BELOW THE FLOOR	
- 1/4" AR450 (205000 PSI TENSILE; 175000 PSI YIELD) FLOOR WITH WESTERN UNDERSTRUCTURE (CROSSMEMBERLESS)	
- (2) OVAL CUT-OUTS IN REAR CORNER POST	
- RECESSED STOP/TURN/ TAIL AND BACKUP LIGHTS WITH SEALED WIRING HARNESS AND JUNCTION BOX	
- BODY PROP, ONE EACH SIDE	
- (1) STAINLESS STEEL SPRING LOADED SHOVEL HOLDER	
- STAINLESS STEEL GRAB HANDLE - FULL LENGHT - DRIVERS SIDE	
- 3-RUNG PULL OUT FOLD-DOWN MILD STEEL LADDER - DRIVERS SIDE	
- 2" FLAT STAINLESS STEEL LOWER WALK / TARP RAIL - BOTH SIDES	
- RUBBER REAR FLAPS	
- BARE STAINLESS STEEL	
- INSTALLED	

*** ASK US ABOUT CRYSTEEL MANUFACTURING'S ***
5 YEAR CUSTOMER SATISFACTION PLEDGE

MAILHOT CS130-5.5-3DA TELESCOPIC HOIST

- DOUBBLE ACTING HOIST
- NITRITED CYLINDER
- TRUNNION MOUNTED HOIST
- 50 DEGREE DUMP ANGLE
- BODY-UP LIGHT
- DUAL BODY PROPS
- HEAVY DUTY GREASEABLE REMOVEABLE PIN HINGE ASSEMBLY
- INSTALLED

Description**Amount****REAR HITCH TO INCLUDE THE FOLLOWING :**

- 3/4" PINTLE PLATE
- B5055 CURVED D-RINGS
- PH-20 PINTLE HOOK
- 7-WAY RV STYLE TRAILER RECEPTICLE
- INSTALLED

ABRO 14'-17' EASY COVER ASPHALT TARP SYSTEM - MODEL 575

- ELECTRIC MOTOR W/ IN-CAB SWITCH
- ALUMINUM HOUSING MOUNTED BEHIND CAB SHIELD
- ASPHALT COVER
- ALUMINUM TARP ARMS
- SECONDARY TARP TENSION BOWKIT
- INSTALLED

**TRUCK PORTION - FLAT-FOLD LIFT ARM HITCH W/ INTEGRAL QCP RECEIVER
(REQUIRES MINIMUM OF 18" FRONT FRAME EXTENSION)****PLOW PORTION - PIN TYPE "GLEDHILL" RECEIVER****4" X 10" DOUBLE ACTING LIFT CYLINDERS**

- INSTALLED

MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

- 12' WIDE X 48" HIGH
- 10 GAUGE ROLL FORMED STRAIGHT MOLDBOARD
- (6) 1/2" X 4" TAPERED, ONE-PIECE FLAME CUT RIBS
- 2" X 3" X 3/8" TOP MOLDBOARD ANGLE
- 4" X 4" X 3/4" BOTTOM MOLDBOARD ANGLE
- HORIZONTAL MOLDBOARD BRACE ANGLES
- 5/8" X 8" ONE-PIECE TOP PUNCH CUTTING EDGE
- DUAL COMPRESSION TRIP SPRING ASSEMBLIES
- 4" X 4" X 3/8" CROSS-TUBE SUPPORT
- 3-1/2" X 3-1/2" X 1/2" SEMI-CIRCLE
- (2) TOP MOUNTED 3" X 10" DOUBLE ACTING POWER REVERSE CYLINDERS WITH CUSHION VALVE
- BUILT-IN MONROE LEVEL LIFT ASSEMBLY
- MOLDBOARD AND PUSHFRAME 100% CONTINUOUSLY WELDED
- FLUORESCENT MARKERS
- REMOVABLE SCREW ADJUSTABLE PARK JACK
- RUBBER SNOW DEFLECTOR
- QCP LOOP HITCH
- MOLDBOARD POWDER COATED BLACK
- PUSH FRAME POWDER COATED BLACK
- INSTALLED

MONROE DFPW HD DOUBLE FUNCTION PATROL WING

- PARAGLIDE WING POST
- RIGHT SIDE MOUNT
- REAR MOUNTED CROSS TUBE
- 3/16" TAPERED MOLDBOARD - 29" INTAKE 39" DISCHARGE
- WING STOP
- WING MARKER KIT
- 3" HEAVY DUTY PUSH ARM
- DECELL HEEL LIFT CYLINDER
- WING LOCKS ON WING TOE AND HEEL
- MOLDBOARD POWDER COATED BLACK
- HARDWARE POWDER COATED BLACK
- INSTALLED

MONROE UNDER-TAILGATE, DIRECT DRIVE SPREADER (MS966-OW/DD-DD)

- 201 STAINLESS STEEL
- 6" DIA., AUGER W/ ONE-WAY FLIGHTING FOR LEFT OR RIGHT DISCHARGE
- 7 GA., 96" TROUGH W/ 1/4" END PLATES
- ONE-PIECE, REMOVABLE & HINGED, COMBINATION COVER & REAR PANEL
- HEAVY-DUTY, STEEL ROD, CAPTIVE LATCHES
- QUICK DETACH MOUNTING BRACKETS
- TAILGATE SHIELDS
- STAINLESS STEEL, SELF-LEVELING, LH DISCHARGE, SPINNER W/ POLY DISC
- INSTALLED

MANUAL/ELECTRIC HYDRAULICS PACKAGE

- FRONT MOUNT LOAD SENSE PUMP MODEL FA-622AK
- 5.98 CU.IN. WITH 1 1/4" KEYS SHAFT
- CSD-1 1310 SERIES DRIVE LINE AND MOUNTING FLANGES
- PUMP MOUNTING BRACKET
- 1/4 TURN HIGH PRESSURE SHUT OFF BALL VALVE
- HOIST: 4 WAY/3 POS, W/500 PSI A PORT RELIEF, 40 GPM
- MANUAL LOAD SENSE MID-INLET SECTION, 2500 PSI MAIN RELIEF

Description

Amount

- PLOW LIFT: 4 WAY/3POS 20 GPM, MANUAL
- PLOW ANGLE: 4 WAY/3POS, 20 GPM, MANUAL
- WING TOE: 4 WAY/3POS W/500 PSI A PORT RELIEF, 20 GPM MANUAL
- WING HEEL: 4 WAY/3POS W/500 PSI A & 1700 PSI B PORT RELIEFS, 20 GPM, MANUAL
- AUGER: 2 WAY, 14 GPM
- SPINNER: 2 WAY, 7 GPM
- 30 GALLON CAPACITY STAINLESS HYDRAULIC RESERVOIR WITH INTERNAL FILTER
- FILLER/BREATHER CAP, LEVEL/TEMP SIGHT GLASS, 3/4" MAGNETIC PLUG,
- 60 P.S.I. CONDITION INDICATOR
- STAINLESS ENCLOSURE WITH WEATHER TIGHT COVER
- HYDRAULIC ENCLOSURE WILL BE MOUNTED ON FRAME RAIL
- MANUAL LEVER CONTROLS
- FORCE 5100EX-3F GROUND BASED SPREADER CONTROL - OPEN LOOP
- FINGER TIP REMOTE SPREADER CONTROL NMOUNTED OFF THE PLOW LEVER
- MANIFOLD MOUNTED AT REAR CORNER POSTS
- STAINLESS STEEL HYD. LINES WITH SHORT HOSES, FOR PLOW, WING, & SPREADER
- INSTALLED

JW SPBAKER PLOW LIGHTS MOUNTED ON THE HOOD WITH STAINLESS STEEL BRACKETS

- L.E.D.
- HEATED LENSE
- INSTALLED

CLEAR L.E.D. WORK LIGHT

- (2) L.E.D. CLEAR WING LIGHTS
- (2) L.E.D. CLEAR BACK UP LIGHTS
- (1) L.E.D. CLEAR SPREADER LIGHT
- (2) OVAL STROBES INSTALLED IN REAR CORNER POSTS
- WHELEN MINI LIGHT BAR INSTALLED IN SELF LEVELING BRACKET MOUNTED ON CAB SHIELD
- GUARD ASSEMBY FOR MINI LIGHTBAR
- ALL BODY LIGHTS TO BE L.E.D.

WHELEN VTX SERIES STROBE LIGHT

- L.E.D.
- AMBER
- MOUNTED ON THE SIDE OF EACH REAR CORNER POST
- HALF MOON GUARD INSTALLED IN FRONT OF VTX STROBE LIGHTS

Quote Total: \$71,961.00

Additional Options:

Description	Amount	Add to quote? Yes/No
MTE C-STYLE TORSION TRIP EDGE PLOW IN LIEU OF FULL MOLDBOARD TRIP - MP51R12 - ISTT - 10 GAUGE ROLL FORMED MOLDBOARD - WITH INTEGRAL SHIELD - 3 X 10 DOUBBLE ACTING ANGLE CYLINDERS - (6) ADJUSTABLE COMPRESSION TRIP SPRING ASSEMBLIES FOR A 3-SECTION TRIP - RUBBER SNOW DEFLECTOR - SCREW ADJUSTABLE PARK JACK - GLED LOOP STYLE PLOW PORTION HITCH - ADD PRICING TO BASE BID	\$1,435.00	Yes
PLOW - ADD FOR CARBIDE CUTTING EDGE KIT WITH COVER BLADE	\$816.00	Yes/No
WING - ADD CARBIDE CUTTING EDGE WITH COVER PLATE	\$623.00	Yes/No
DUAL AIR BAG KIT W/ AUTOMATIC CONTROL - FRONT WING SIDE ONLY - INSTALLED	\$1,306.00	Yes/No
SET HYDRAULIC VALVE UP FOR FUTURE PRE-WET - ADD 7 GPM SECTION FOR PRE-WET - PRE-WET CONTROLLED THROUGH 5100EX SPREADER CONTROL - RUN STAINLESS STEEL LINE WITH SHORT WIP HOSE TO THE REAR FOR FUTURE TAILGATE MOUNTED PRE-WET. CAPPED AT REAR CORNER POST - OPEN LOOP AT THIS TIME - INSTALLED	\$1,286.00	Yes/No
\$ 77,427.00		

Notes:

- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Please note If chassis is furnished, It is as a convenience and terms are Net Due on Receipt of Chassis.
- ◆ State and Federal taxes will be added where applicable. Out-of-state municipal entities may be subject to Wisconsin sales tax.
- ◆ Restocking fees may be applicable for cancelled orders.
- ◆ MTE is not responsible or liable for equipment that does not meet local/state regulations if those laws are not made known at time of order.



Exhibit B

A Complete Line
Of
Truck Equipment

2410 S. Stoughton Road
Madison, WI 53716-2898

Telephone (608) 222-5591
Wisconsin (800) 259-7453
FAX (608) 222-3644

To **Village of Windsor**
Address: 4084 Mueller Rd.
City: Deforest, WI 53532
Attention: **Davis Clark**
Telephone #: 846-3854
Fax #: 846-2328
235-1196

Date: 03/04/20
Delivery:
Dealer:
P. O. #:

Terms: **NET ON DELIVERY, unless specified**

Quantity	QUOTE GOOD FOR 30 DAYS		PRICE EACH
One	13' 3" Duraclass (HEIL) Dump Body Package 38" Sides, 54" Front, 50" Tailgate Crossmemberless Understructure 1/4" AR 450 Floor *** 7 Ga. 201 Stainless Steel Sides, front, Tailgate and Cab Guard *** 3/16" Cor-Ten Longmembers (Cor-Ten is Resistant to Corrosion) 1 Horizontal Side Brace Manual Trip Tailgate 2 Flat Bar Steps Front & Rear Drivers Side Rear Knee Brace Delete For Spreader Plates Extra Ovals In rear corner posts 201 Stainless Steel Rear Corner Posts 1/4 Cab shield Duraclass (Heil) HPT 53-120 Hoist Chrome Cylinder Body Raise Light, Back up Alarm Hooked to Central Hyd System		
One	Force America Eaton 622 Front Mount Load Sensing Hydraulic System Force America ADD-A-Stack 6 Main Bank Valve, and Cable Controls Low Oil Warning Light & Alarm With Emergency Ballcock Shutoff 30 gallon Slm Line Oil Tank with internal Filter; temperature indicator Valve Body Enclosure Mounted on Side of Frame Manual Dual Flow Control		
Note	Controls Custom Mounted to Village Operator Stainless Steel Hydraulic Lines		
ONE	Swenson tailgate type spreader, Model SAD-6 SS (6" Auger) 7 GA. 201 Corrosion Resistant Stainless Steel construction Direct Drive Auger Hydraulic Safety Interlock Poly Spinner Low Speed HI Torque Motors		
Chassis Make	CA:	Trans:	Subtotal
Customer Signature and Date		Salesman	Tax 5.5%
			F.E.T. 12%
		Kurt Schadewalt	TOTAL

MADISON TRUCK EQUIPMENT INC.

A Complete Line
Of
Truck Equipment

2410 S. Stoughton Road
Madison, WI 53716-2898

Telephone (608) 222-5591
Wisconsin (800) 259-7453
FAX (608) 222-3644

To: **Village of Windsor**
Address: 4084 Mueller Rd.
City: Deforest, WI 53532
Attention: **Davis Clark**
Telephone #: 846-3854
Fax #: 846-2328
235-1196

Date: 03/04/20
Delivery:
Dealer:
P. O. #:

Terms: **NET ON DELIVERY, unless specified**

Quantity	QUOTE GOOD FOR 30 DAYS	PRICE EACH
ONE	UNIVERSAL BH 1243 PLOW 12' Length 43" height 10 GA. Moldboard, loop hitch (Plow Portion) Push Frame with 6 Ribs, 4 main hinge points One 4" x 13" power reverse cylinder mounted above push frame Moldboard trip With 4 Adjustable Extension Springs 3/4" x 6" Carbide cutting edge with standard AASHO punch & Cover Blade Cushion Valve, Rubber snow flap with Stainless steel Retainer, Moldboard markers, Curb Shoes Pin & Loop Truck Hitch portion with Double acting lift cylinder Primed & Painted Factory Black	
ONE	Universal Uni Tilt 9' Front Mounted Wing New Design as of March 1st 2014 Parallel Lift 3/16" moldboard; Eight 1/2" ribs fully welded: 1 1/2" main pivot bolt w castle nut Heavy duty adjustable spring loaded push beam with shear pin 10" float at the toe; floating link arm at the heel 4" x 19" toe cylinder with 2" rod; 4" x 13" toe cylinder with 2" rod 3/4" x 6" Carbide cutting edge with AASHO punch Wing Lock, Marker, Curb Shoe, Wing Shoe Primed & Painted Factory Black	
ONE	Safety Lighting Package Hella Plow lights with turn signals, Federal Signal L.E.D. Mini HI-Lighter Wing light, Sander light, L.E.D. Alternating Amber Flashers in rear corner posts 3/4" Hitch with Hook	
OPTIONS	Installed FOB Madison, WI	
	TOTAL	\$69,350.00
	Stainless steel Oil Reservoir In Lieu of Steel	ADD \$698.00
	Stainless steel Valve Enclosure In Lieu of steel	ADD \$466.00
	Plow with Heavy Duty Push Frame In Lieu of Standard	ADD \$756.00
	Ecco LED Plow lights w/ Heated Lens In Lieu of Standard	ADD \$656.00
	Air Trip Tailgate In Lieu of Manual trip	ADD \$656.00
	5100 ex Spreader Controller In Lieu of Manual Dual Flow	ADD \$1,256.00
	5100 ex Spreader Controller with Pre Wet Function	ADD \$1,284.00
Chassis Make	CA:	Trans:
Customer Signature and Date	Salesman	Subtotal
		Tax 5.5%
		F.E.T 12%

Kurt Schadewalt

TOTAL

MADISON TRUCK EQUIPMENT INC.

A Complete Line
Of
Truck Equipment

2410 S. Stoughton Road
Madison, WI 53716-2898

Telephone (608) 222-5591
Wisconsin (800) 259-7453
FAX (608) 222-3644

To: **Village of Windsor**
Address: 4084 Mueller Rd.
City: Deforest, WI 53532
Attention: **Davis Clark**
Telephone #: 846-3854
Fax #: 846-2328
235-1196

Date: 03/04/20
Delivery:
Dealer:
P O. #:

Terms. **NET ON DELIVERY, unless specified**

Quantity	QUOTE GOOD FOR 30 DAYS		PRICE EACH
ONE	UNIVERSAL CST 1243 PLOW 12' Length 43" H 10 GA. Moldboard, with Eight 1/2" ribs fully welded Pin & Loop Hitch, with Double Acting Lift Cylinder 3 adjustable Attack angles, Factory Set at 20 degrees Two 4" x 10" power reverse cylinders mounted above push frame Two heavy duty Compression Style moldboard trip springs cutting edge blade, and with standard AASHO punch Cushion Valve, Adjustable Parking Stand Rubber snow flap, Moldboard markers Primed and painted Factory Orange,		
OPTIONS	CST Plow In Lieu of Universal BH 1243 Plow	DEDUCT	(\$1,456.00)
	Carbide Cutting Edge with Cover In lieu of Standard Edge	ADD	\$986.00
	Torsion Trip Edge In Lieu of Compression Spring Trip	ADD	\$1,066.00
	Individual Replaceable Torsion Springs In Lieu of Standard	ADD	\$460.00
	Carbide Cutting Edge for Plow & Wing In Lieu of Standard	ADD	\$1,700.00
	Aero 550 Electric Tarp system, Bulkhead mount, Aluminum Arms Undermount Springs, asphalt tarp	ADD	\$2,706.00
Chassis Make	CA:	Trans:	Subtotal
Customer Signature and Date	Salesman		Tax 5.5%
	Kurt Schadewalt		F.E.T. 12%
			TOTAL
			\$80,784.00